"VARIABLE"   "DESCRIPTION"   "SAMPLE_TYPE"   "UNITS"   "RANGE_LOW"
        "RANGE_HIGH"   "LEGAL_VALUES"
"AL"   "Total Aluminum"   "CHEMW"   "mg/L"
"ANC"   "Acid Neutralizing Capcity"   "CHEMW"   "ueq/L"
"CA"   "Calicum"   "CHEMW"   "mg/L"
"CL"   "Cholride"   "CHEMW"   "mg/L"
"COLOR"   "Color" "CHEMW"   "APHA Pt-Co Units"
"COND"   "Specific Conductance"   "CHEMW"   "uS/cm"
"DATE_COL"   "Date of field collection"
"DOC"   "Dissolved Organic Carbon"   "CHEMW"   "mg/L"
"K"   "Potassium"   "CHEMW"   "mg/L"
"MG"   "Magnesium"   "CHEMW"   "mg/L"
"NH4"   "Ammonia as Nitrogen" "CHEMW"   "mg/L"
"NO2"   "Nitrite as Nitrogen"   "CHEMW"   "mg N/L"
"NO3"   "Nitrate as Nitrogen"   "CHEMW"   "mg N/L"
"NO3NO2"   "Nitrate-Nitrite as Nitrogen"   "CHEMW"   "mgN/L"
"NTL"   "Total Nitrogen"   "CHEMW"   "ug/L"
"PHLAB"   "Laboratory measured pH"   "CHEMW"   ""
"PTL"   "Total Phosphorus"   "CHEMW"   "ug/L"
"SAM_CODE"   "Sample code (Regular/Lab duplicate/Lab split)"
"SAMPLE_CAT"   "Sample category (Primary/Duplicate/Filter blank)"

"SAMPLE_TYPE"   "Sample type"
"SIO2"   "Silica" "CHEMW"   "mg/L"
"SITE_ID"   "Site identification code"
"SO4"   "Sulfate"   "CHEMW"   "mg/L"
"SODIUM"   "Sodium"   "CHEMW"   "mg/L"
"TSS"   "Total Suspended Solids"   "CHEMW"   "mg/L"
"TURB"   "Turbidity"   "CHEMW"   "NTU"
"UID"   "Unique site visit ID"
"VISIT_NO"   "Visit number for that year"
"YEAR"   "Sampling year"
"ALERT"   "R-Value below reporting limit for parameter,S-Sample shipping time exceeded two day limit,H-Holding time of sample exceeded parameter-specific limit"   "CHEMB"
        "H|R|S"
"ALERT"   "R-Value below reporting limit for parameter,S-Sample shipping time exceeded two day limit,H-Holding time of sample exceeded parameter-specific limit"   "CHEMW"
        "H|R|S"